

# GF 630N系列变频器

**GUIDE**

Wuhan Guide Technology Co., Ltd.

027-87920068  
027-87927299  
www.gdetec.com

400-0077-570

6

2025.



# GF 630N

# GF 630N



$$\text{GF 630N } \underset{1}{\text{XX}} - \underset{2}{\text{XXX}} - \underset{3}{\text{4}} - \underset{4}{\text{XXX}} + \underset{5}{\text{X}}$$

$$\text{GF 630N } - \underset{1}{\text{XXX}} - \underset{3}{\text{4}} + \underset{4}{\text{X}}$$

1	2	3	4
	01 Mini 02 03 04 05 GS	5R5=5.5kW 055=55kW 110=110kW	4: 380V 5
6			
DL			
BU			
LCD			
SW01			
MB01	Modbus RTU	DPO1	Profibus DP
PN01	Profinet	CAN01	CANopen
PG02		PG03	
PG04			
I001 (io )	7DI+4DO+Modbus RTU	I002 (io )	5DI+2DO
I003 (io )	5DI+2DO+1AI+Modbus RTU		
PC01 ( )	20DI+6DO+CANopen +Modbus RTU	PC03 ( )	20DI+6DO


1	3	4	
	5R5=5.5kW 055=55kW 110=110kW	4: 380V	
6			
DL			
BU			
LCD			
SW01			
MB01	Modbus RTU	DPO1	Profibus DP
PN01	Profinet	CAN01	CANopen
PG02		PG03	
PG04			
I001 (io )	7DI+4DO+Modbus RTU	I002 (io )	5DI+2DO
I003 (io )	5DI+2DO+1AI+Modbus RTU		
PC01 ( )	20DI+6DO+CANopen +Modbus RTU	PC03 ( )	20DI+6DO


1 GF630N-045-4+LCD+PG02 400V/45kW  
2 GF630N-110-4+DL+BU 400V/110kW

LCD PG02  
LED

GF630N-185-4	364	185	302	160
GF630N-200-4	395	200	364	185
GF630N-220-4	437	220	395	200
GF630N-250-4	484	250	437	220
GF630N-280-4	544	280	484	250
GF630N-315-4	609	315	544	280
GF630N-355-4	667	355	609	315
GF630N-400-4	719	400	667	355
			719	400

GF630N






0.5Hz/150% (SVC)

1:100(SVC)

± 0.5% (SVC)

150% 5 1

G



	(A)	(kW)	(A)	(kW)		
GF630N02-011-4	23	11	17	7.5	S2	
GF630N02-015-4	31	15	23	11		
GF630N02-018-4	37	18.5	31	15		
GF630N02-022-4	46	22	37	18.5		
GF630N02-030-4	64	30	46	22		



GF630N03

GF630N03



# GF630N04

GF630N04


GF630N 04 - XXX - 4

1	2 04	3 022=22kW	4 4: 380V
---	---------	---------------	--------------



GF630N04

		380V	480V
		50/60Hz	
		- 15%	+10%
		fLN± 2 2 fLN/s	± 4
	0		



GF630N05



--	--	--

1

2 LED

		98%

# Brand

GF63ONGS-200-4	395	200	364	185	N8	1093*492*376
GF63ONGS-220-4	437	220	495	200		G55
GF63ONGS-250-4	484	250	437	220		
GF63ONGS-280-4	544	280	355*764	250	N9	2800*490*395.5 / 1
GF63ONGS-315-4	609	315	544	280		GGG
GF63ONGS-355-4	667	355	609	315		
GF63ONGS-400-4	719	400	667	355	N10	F805*700*415
GF63ONGS-450-4	819	450	719	400		

190GS-

\*2

140GS-355-8268

(0131001)

